



EVOQUE

From French **évoquer**;
to evoke, induce, stimulate, arouse, awaken,
inspire, recall;
to bring or call something to the
conscious mind.



EVOQUER


free to be yourself
Inspiration for modern design



EVOQUE

Its versatility has no limits. Its style will redefine any concept.






EVOQUE
ECRU'
Eclectic



EVOQUE
AVORIO
Modern Country




EVOQUE GRIGIO cm 80x80 (31½"x31½") RETT.



EVOQUE
GRIGIO



EVOQUE CARBON cm 80x80 (31 $\frac{1}{2}$ "x31 $\frac{1}{2}$ ") RETT.





EVOQUE AVORIO cm 30x60 (12"x24")

EVOQUE
AVORIO





EVOQUE ECRU' cm 60x60 (24"x24")



EVOQUE GRIGIO



80x80 cm (32"x32") Rett




60x60 cm (24"x24") Rett



30x60 cm (12"x24")
29,5x59,5 cm (12"x24") Rett

MOSAICI MOSAICS MONTATI SU RETE SHEET MOUNTED/AUF NETZ



5x5 cm (2"x2")
30x30 cm (12"x12")




Tappeto Mix
2,5x2,5 cm (1"x1")
Miscela di quattro colori
Four color random mix



Muretto 30x60 cm (12"x24")

PEZZI SPECIALI TRIM



Battiscopa
7x80 cm (2¾"x32") Rett
7x59,5 cm (2¾"x24") Rett
7x60 cm (2¾"x24")

EVOQUE CARBON



80x80 cm (32"x32") Rett




60x60 cm (24"x24") Rett




30x60 cm (12"x24")
29,5x59,5 cm (12"x24") Rett


MOSAICI MOSAICS MONTATI SU RETE SHEET MOUNTED/AUF NETZ



5x5 cm (2"x2")
30x30 cm (12"x12")




Tappeto Mix
2,5x2,5 cm (1"x1")
Miscela di quattro colori
Four color random mix



Muretto 30x60 cm (12"x24")

PEZZI SPECIALI TRIM



Battiscopa
7x80 cm (2¾"x32") Rett
7x59,5 cm (2¾"x24") Rett
7x60 cm (2¾"x24")


EVOQUE AVORIO



80x80 cm (32"x32") Rett



60x60 cm (24"x24") Rett



30x60 cm (12"x24")
29,5x59,5 cm (12"x24") Rett


MOSAICI MOSAICS MONTATI SU RETE SHEET MOUNTED/AUF NETZ



5x5 cm (2"x2")
30x30 cm (12"x12")




Tappeto Mix
2,5x2,5 cm (1"x1")
Miscela di quattro colori
Four color random mix



Muretto 30x60 cm (12"x24")

PEZZI SPECIALI TRIM



Battiscopa
7x80 cm (2¾"x32") Rett
7x59,5 cm (2¾"x24") Rett
7x60 cm (2¾"x24")


EVOQUE ECRU'



80x80 cm (32"x32") Rett



60x60 cm (24"x24") Rett



30x60 cm (12"x24")
29,5x59,5 cm (12"x24") Rett

MOSAICI MOSAICS MONTATI SU RETE SHEET MOUNTED/AUF NETZ



5x5 cm (2"x2")
30x30 cm (12"x12")




Tappeto Mix
2,5x2,5 cm (1"x1")
Miscela di quattro colori
Four color random mix



Muretto 30x60 cm (12"x24")



PEZZI SPECIALI TRIM



Battiscopa
7x80 cm (2¾"x32") Rett
7x59,5 cm (2¾"x24") Rett
7x60 cm (2¾"x24")

Caratteristiche Tecniche • Technical features • Technische eigenschaften*

Gres porcellanato impasto colorato - Through body porcelain stoneware - Durchgefaerbtes feinsteinzeug - UGL



SOLUZIONI DI POSA
cm 30x60 - 12"x24"

Per una corretta realizzazione si consiglia di posare i formati lunghezza 60 cm, sfalsati e correre di massimo 20 cm o posa pari

INSTALLATION
INFORMATION
cm 30x60 - 12"x24"

For 60 cm (24") long tiles, staggering should not exceed 20 cm (8")

VERLEGEBEISPIELE
cm 30x60 - 12"x24"

Für eine korrekten und einwandfreien Belag, die Formaten mit 60 cm Länge sollten bei der Verlegung maximal 20 cm versetzt sein.

SOLUTIONS DE POSE
cm 30x60 - 12"x24"

Pour une réalisation correcte nous conseillons de poser le format en 60 de longueur, au maximum à un tiers/deux tiers.

Noi consigliamo fortemente l'uso di un sistema di posa con distanziatori autolivellanti.

Wir empfehlen dringend die Verwendung von einem Befestigungssystem mit leveling system.

We strongly recommend using a tile edge leveling system during installation.

Il est vivement recommandé l'utilisation d'un système de pose avec des croisillons autonivelant.

SHADE VARIATION



MODERATE
Product with low chromatic variation

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE - EVOQUE RESULTS - EVOQUE
	ISO 10545/3	ASSORBIMENTO D'ACQUA - WATER ABSORPTION ABSORPTION D'EAU - WASSERAUFNAHME	≤ 0.5%	CONFORME CONFORMS
	ISO 10545/4	RESISTENZA ALLA FLESSIONE - BENDING STRENGTH RESISTANCE A LA FLEXION - BIEGESTÄRKE	R ≥ 35 N/mm ²	CONFORME CONFORMS
	ISO 10545/8	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFF. BETWEEN 20°C - 100°C COEFF. DE DILATATION THERMIQUE LINEAIRE ENTRE 20°C ET 100°C WÄRMEAUSSDEHNUNG ZWISCHEN 20°C UND 100°C	≤ 9x10 ⁻⁶	9x10 ⁻⁶ °C ⁻¹
	ISO 10545/9	RESISTENZA AGLI SBALZI TERMICI - RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOCs THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/11	RESISTENZA AL CAVILLO - CRAZING RESISTANCE RESISTANCE AU TRASSAILAGE - HAARRISSEFESTIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/14	RESISTENZA ALLE MACCHIE - STAIN RESISTANCE RESISTANCE AUX TACHES - FLECKENFESTIGKEIT	min. Classe 3	CLASSE 5
	ISO 10545/13	RESISTENZA ALL'ATTACCO CHIMICO - CHEMICAL RESISTANCE RESISTANCE À L'ATTAQUE CHIMIQUE - FÄHIG GEGEN SÄUREN UND LAUGEN	min. GB	GA/GLA
	ISO 10545/2	LUNGHEZZA E LARGHEZZA - LENGTH AND WIDTH LONGUEUR ET LARGEUR - LÄNGE UND BREITE	± 0.5%	CONFORME CONFORMS
	ISO 10545/2	SPESSORE - THICKNESS ÉPAISSEUR - STÄRKE	± 5%	CONFORME CONFORMS
	ISO 10545/2	ORTOGONALITÀ - WEDGING ORTHOGONALITÉ - RECHTWINKLICHKEIT	± 0.6%	CONFORME CONFORMS
	ISO 10545/2	PLANARITÀ - WARPAGE PLANÉITÉ - EBENFLÄCHIGKEIT	± 0.5%	CONFORME CONFORMS
	ISO 10545/12	RESISTENZA AL GELO - FROST RESISTANCE RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/6	RESISTENZA ALL'ABRASIONE PROFONDA - DEEP ABRASION RESISTANCE RESISTANCE À L'ABRASION PROFONDE - TIEFENVERSCHLEISSBESTÄNDIGKEIT	< 175 mm ³	135 mm ³
	ANSI A 137.1:2012 BOT 3000 WET DCOF	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE - RESISTANCE AU GLISSEMENT BESTIMMUNG DER RUTSCHEMÜNDE EIGENSCHAFT	≥ 0.42	Tile 1 : 0.69 Tile 2 : 0.70 Tile 3 : 0.69
	DIN 51130 R	water, oil, grease, etc. create slippery conditions. floor applications with exposure to these conditions require extra caution in product selection.		R9

*These test results may change from lot to lot

IMBALLI PACKAGING

UNITÀ DI MISURA
UNIT OF SALE



Evoque	80x80 32"x32"	M ²	11 mm	2	32,00	1,28	40	51,20	1.280,00
Evoque	60x60 24"x24"	M ²	9,5 mm	3	22,00	1,08	40	43,20	880,00
Evoque	30x60 12"x24"	M ²	9,5 mm	6	22,41	1,08	48	51,84	1.075,68
Evoque Muretto	30x60 12"x24"	M ²	9,5 mm	3	11,00	-	45	-	495,00
Evoque Tappeto Mix	30x30 12"x12"	FOGLIO/SHEET	9,5 mm	8	14,50	-	42	-	609,00
Evoque Mosaico	30x30 12"x12"	FOGLIO/SHEET	9,5 mm	8	14,50	-	42	-	609,00
Evoque Battiscopa Rett	7x80 3"x32"	PZ/PCS	9,5 mm	6	8,50	-	50	-	425,00
Evoque Battiscopa	7x60 3"x24"	PZ/PCS	9,5 mm	15	14,00	-	40	-	560,00
Evoque Battiscopa Rett	7x59,5 3"x24"	PZ/PCS	9,5 mm	15	14,00	-	40	-	560,00